
Best Compatible (Small Format)


▶ 722S Plunger Lock



For BEST style interchangeable core cylinders







722S-TBMThrough-bolt mount

Item	Function	Finish	Description	
7225	Standard	26D	- Lock body - For small format IC	
722S-KR	Key-retaining	26D		
722S-TBM	Standard	26D	Lock body - For small format IC (includes through-bolt mounting hardware)	
722S-TBM-KR	Key-retaining	26D		

SPECIFICATIONS

Retrofits: Best 2S, 2S-TBM

Standard function: Key removable in locked and

unlocked position.

Key-retaining function: Key removable in locked position only. Specify -*KR* for key-retaining. **TBM function**: Specify TBM for "through-bolt

mounting"

Body: Solid brass

Barrel length: 1-3/4"

Bolt throw: 1/2"

Max. door thickness: 1-7/8"
Min. door thickness (TBM): 5/8"

Finish: 26D

1/2"

Packaged: Packed 10 per box

KEYING INFORMATION

Cores: Not included

Accepts: Best, Arrow, Falcon, KSP, Schlage SFIC or equivalent small format interchangeable cores Compatible electronic cylinders: Medeco Nexgen

XT or VIDEX CyberLock SFIC cylinders

INCLUDED ACCESSORIES

725-1 spacer to fit 6 or 7 pin cores Matching strike 725-PA plastic thumbturn TBM locks include through-bolt plates and screws

OPTIONAL ACCESSORIES


SFIC cores: 206/207 Series (page 64)


▶ **723S** Sliding Door Cylinder Housing



For BEST style interchangeable core cylinders







FOR BYPASSING SLIDING GLASS DOORS

TON DITASSING SCIDING GLASS DOORS						
Item	Finish	Size	Туре	Description		
7235	26D, US26	Adjustable	Sliding door cylinder housing	Lock body - For small format IC		
Note:	Requires use of 207S series SFIC core					

SPECIFICATIONS

Retrofits: Best 4S

Function: For use on bypassing sliding doors. Core acts as stop for interior sliding door.

Material: Zinc die cast Finish: 26D or US26

INCLUDED ACCESSORIES

Screws: Includes 3 sizes of screws (7/16", 3/4" and 1") to adapt lock for use on varying material

KEYING INFORMATION

Core: Not included, requires special core Accepts: Best (6C or 6CP), Arrow, Falcon, KSP, Schlage SFIC or equivalent small format interchangeable cores

OPTIONAL ACCESSORIES

SFIC cores: 207S Series (page 64)

2075 Series SFIC cores



The Olympus 723S requires use of 207S series SFIC cores (page 60)